



Adjustable Cylindrical Cell Machine Automatic Cylindrical Cell Cans Grooving Machine

Our Product Introduction

for more products please visit us on lithiumbatterymachine.com

Basic Information

- Place of Origin: China
- Brand Name: MRBEST
- Certification: CE
- Model Number: MR-ZDGC700
- Minimum Order Quantity: 1 Set
- Price: Negotiable
- Packaging Details: Standard Export Wooden Packing
- Delivery Time: 7-20 working days
- Payment Terms: T/T, Western Union, MoneyGram
- Supply Ability: 500 sets per month




Product Specification

- Name: Automatic Cylindrical Cells Cans Grooving Machine
- Grooving Die: 18650 Die Is Standard, Other Size Is Optional
- Grooving Accuracy: $\pm 0.1\text{mm}$
- Capacity: 6 Pcs/min
- Die Lifetime: 3 000 000 Times
- Compressed Air: 0.5~0.7MPa
- Highlight: Cylindrical Cell Machine Automatic, Adjustable Cylindrical Cell Machine, Cylindrical Cell Cans Grooving Machine

Product Description

Automatic Cylindrical Cells Cans Grooving Machine



Model: MR-ZDGC700

This MR-ZDGC700 automatic cylindrical cell cans grooving machine is suitable for cylindrical cell steel cans automatic uniform grooving. This grooving machine has the function of automatic feeding and discharging, which has the advantages of high efficiency, time saving and labor saving.

Features

- (1) Automatic feeding and unloading, high efficiency, timesaving, and labor-saving.
- (2) The size of the grooving is adjustable, with high precision and stable size.
- (3) Other types of cylindrical cells can be processed by changing the grooving mold. Such as 18650, 21700, 26650...
- (4) The machine is small size, exquisite in appearance and easy to operate.
- (5) It adopts PLC and touch interface operation, high-end and easy automatic control, and it is convenient to set various parameters.

Technical Parameters

Sealing mold	Standard 18650 cells rolling groove mold. Optional or additional for other battery types.
Grooving depth	1.0 3.0mm(adjustable)
Grooving width	1.1 1.5mm(According to the thickness of roller knife)
Precision	±0.1mm
Roller knife service life	>3 million times
Production capacity	6PCS/min
Voltage	AC220V/50Hz
Power	0.2KW
Compressed air	0.5MPa 0.7MPa
Dimensions	L550*W600*H720mm
Weight	50kg

Maintenance Method

1. Frequently wipe the dirt on the moving parts of the machine, keep it clean, and add lubricating oil to make the machine run smoothly.
2. If the sealing machine is not used for a long time, the sealing mold needs to be cleaned and oiled to keep the molding surface clean and smooth.
3. Regularly check the screws, nuts, pins and other fasteners on each part of the machine to prevent loosening and prevent quality accidents and safety accidents of the sealing machine.

Precautions

1. When the equipment is running, it is forbidden to put your hands into the active area of the mold to avoid hurting your hands.
2. Regularly check whether there are foreign objects in the forming mold.
3. It is forbidden to hit the mold with hard objects.
4. Regularly check whether the sensors in each part are loose.

Our Advantages

1. Steady and high quality ! -cause we are a manufacturer of Lithium Battery Equipment, and we only focus on one thing that is make professional Lithium ion Battery Equipment for customer around the world.
2. Friendly use! all MRBEST Battery Equipment with teach manual and support live teaching via media.
3. Reliable factory! My factory located in Shenzhen city of China, support factory visit and video factory visit .
4. 1 year warranty plus lifetime technical support.
5. All the parts use on machine, in stock forever.
6. Powerful technical support, NOT TRADE COMPANY! We are professional on Lithium Battery Equipment, the chief engineer team have more than 20 years experience on lithium battery area, so we can easy do diagnose on machine if customer have question.
7. 100% PATIENCE to all customers! Our patience not only before consult order, also after-sale service, one by one .



Shenzhen Meirui Zhida Technology Co., Ltd.



+86 19866156608



tina@szmrbest.com



lithiumbatteryemachine.com

104 Building 6, Second Industrial Zone, Shanmen Community, Yanluo Street, Baoan District, Shenzhen China