



Lab Cylindrical Cell Machine Compact Vacuum Drying Oven Equipment

Our Product Introduction

Basic Information

- Place of Origin: China
- Brand Name: MRBEST
- Certification: CE
- Model Number: MR-DZF-6050
- Minimum Order Quantity: 1 Set
- Price: Negotiable
- Packaging Details: Standard Export Wooden Packing
- Delivery Time: 7-20 working days
- Payment Terms: T/T, Western Union, MoneyGram
- Supply Ability: 500 sets per month



Product Specification

- Product Name: Cylindrical Cell Lab Equipment Vacuum Drying Oven
- Temperature: RT+10 ~ 200°C Is Standard, RT+10 ~ 250°C Is Optional
- Volume: 50L (other Volume Optional)
- Input Voltage: 1400W
- Vacuum Degree: 133Pa
- Dimensions: Oven: 710 X 545 X 542 Mm
- Temperature Controller: Built-in Over-temperature Protection
- Temperature Control Accuracy: +/-1°C
- Highlight: **Lab Cylindrical Cell Machine, Compact Cylindrical Cell Machine, Compact Vacuum Drying Oven**

Product Description

50L Cylindrical Cell Lab Equipment Vacuum Drying Oven

**Model: MR-DZF-6050**

MR-DZF-6050 is a compact vacuum drying oven, widely used in laboratory. It is applicable for the drying, sterilization and heat treatment for the articles under vacuum conditions. Heating time and temperature can be set.

Main Features:

- PID temperature controller with over temperature alarm function, accurate and reliable.
- Stainless steel chamber, durable and easy to clean. Rectangular shape maximizes the effective volume.
- Dual-layer tempered glass door allows to observe the inside material easily.
- Closing tightness of the chamber door can be adjusted, synthetic silicon door sealing ring ensures the high vacuum degree in the chamber.
- Storage, heating, testing and drying may be carried out in an environment free of oxygen or filled with inert gas without causing oxidation.

Specifications:

Model	Cylindrical Cell Lab Equipment Vacuum Drying Oven MR-DZF-6050
Working voltage	AC220V, 50Hz
Input voltage	1450W
Temperature	RT+10 ~ 200°C is standard RT+10 ~ 250°C is optional
Temperature resolution / volatility	0.1°C / ±1°C
Vacuum degree	133Pa
Vacuum meter	Mechanical pointer type
Working condition temperature	+5~40°C
Chamber size	L415 x W370 x H345mm
Dimension	L730 x W450 x H550mm
Volume	50L (other volume optional)
Shelves	2 Pcs (shelf quantity optional)
Vacuum Pump	Optional

Our Advantages

1. Steady and high quality ! -cause we are a manufacturer of Lithium Battery Equipment, and we only focus on one thing that is make professional Lithium ion Battery Equipment for customer around the world.

2. Friendly use! all MRBEST Battery Equipment with teach manual and support live teaching via media.
3. Reliable factory! My factory located in Shenzhen city of China, support factory visit and video factory visit .
4. 1 year warranty plus lifetime technical support.
5. All the parts use on machine, in stock forever.
6. Powerful technical support, NOT TRADE COMPANY! We are professional on Lithium Battery Equipment, the chief engineer team have more than 20 years experience on lithium battery area, so we can easy do diagnose on machine if customer have question.
7. 100% PATIENCE to all customers! Our patience not only before consult order, also after-sale service, one by one .



Shenzhen Meirui Zhida Technology Co., Ltd.



+86 19866156608



tina@szmrbest.com



lithiumbattery-machine.com

104 Building 6, Second Industrial Zone, Shanmen Community, Yanluo Street, Baoan District, Shenzhen China