

# AC220V Compact Tape Casting Coater 250mm Max Coating Length

### **Basic Information**

- Place of Origin:
- Brand Name:
- Certification:
- Model Number:
- Minimum Order Quantity: 1 Set
- Price:
- Negotiable

MR-TMH250

Packaging Details: Standard Export Wooden Packing

China

CE

MRBEST

- Delivery Time: 7-20 working days
- Payment Terms: T/T, Western Union, MoneyGram
- Supply Ability: 500 sets per month



## **Product Specification**

- Name:
- Doctor Blade:

• Coating Length:


Optional 250mm Maximum

Compact Tape Casting Coater

100mm Fixed Width As Standard, Other Size

- Max Heating Temperature: 200
- Heating Type: Top Cover Heating
- Vacuum Pump: Built In Oil Free Vacuum Pump
- Highlight: Compact Tape Casting Coater, AC220V Tape Casting Coater

## **Compact Tape Casting Coater With Vacuum Chuck & Film Applicator**



MR-TMH250 is a compact film tape casting machine with vacuum chuck, which widely used in all kinds film coating research, like ceramic films, crystal films, lithium battery electrode coating, etc. It is designed with top cover heating, the heating temperature up to 200 adjustable and digital display.

#### **Features**

- Touch screen operation, high automation.
- Vacuum aluminium chuck is designed for quick suction of substrate.
- Built-in vacuum pump is designed.
- Coating stroke length can be set.
- Heating temperature up to 200 adjustable, and it's digital display.

### **Technical Parameters**

| Working voltage              | AC220V  |
|------------------------------|---|
| Coating length               | Max 250mm adjustable                                  |
| Doctor blade                 | 100mm fixed width as standard, other size is optional |
| Coating thickness            | 0.01~3.5mm adjustable                                 |
| Vacuum chuck                 | L365 x W200 x H30mm                                   |
| Vacuum pump                  | Built In Oil Free Vacuum Pump                         |
| Coating speed                | 0~200mm/s adjustable                                  |
| Heating method               | Top cover heating                                     |
| Heating temperature          | RT~200 adjustable, digital display                    |
| Heating temperature accuracy | ±1  |
| Dimension                    | L500 x W310 x H330mm                                  |
| Weight                       | 45kg  |

#### **Our Advantages**

1. Steady and high quality !-cause we are a manufacturer of Lithium Battery Equipment, and we only focus on one thing that is make professional Lithium ion Battery Equipment for customer around the world.

- 2. Friendly use! all MRBEST Battery Equipment with teach manual and support live teaching via media.
- 3. Reliable factory! My factory located in Shenzhen city of China, support factory visit and video factory visit .
- 4. 1 year warranty plus lifetime technical support.
- 5.All the parts use on machine, in stock forever.

6. Powerful technical support, NOT TRADE COMPANY! We are professional on Lithium Battery Equipment, the chief engineer team have

more than 20 years experience on lithium battery area, so we can easy do diagnose on machine if customer have question. 7. 100% PATIENCE to all customers! Our patience not only before consult order, also after-sale service, one by one .



🕓 +86 19866156608 🛛 🔄 tina@szmrbest.com 📀 lithiumbatterymachine.com

104 Building 6, Second Industrial Zone, Shanmen Community, Yanluo Street, Baoan District, Shenzhen China