

# 100 - 400mm Width Lab Battery Calendering Machine Electric Hot Press **Making Machine**

## **Basic Information**

- Place of Origin:
- Brand Name:
- Certification: CE
- Model Number:
- Minimum Order Quantity: 1 Set
- Price:
- · Packaging Details: Standard Export Wooden Packing
- Delivery Time:
- Payment Terms: T/T, Western Union, MoneyGram

China

MRBEST

MR-JS300

Negotiable

7-20 working days

• Supply Ability: 500 sets per month



### **Product Specification**

- Product Name:
- Electric Lab Calender Hot Press Making Machine
- Dia 96 X W300mm, Other Width Available
- Roller Hardness:
- Pressing Thickness:
- Feeding Speed:
- Heating Temperature:
- Working Voltage:
- Power:

Roller:

Highlight:

- >HRC62
- 0~2mm Adjustable
  - Max 10mm/s Adjustable
  - RT~ 130 Adjustable digital Display
    - AC110/220V Optional Upon Request 1400W
    - Battery Calendering Machine Electric, 400mm Battery Calendering Machine, Lab Hot Press Making Machine

Our Product Introduction

## 100-400mm Width Electric Lab Calender Hot Press Making Machine for Lithium ion Battery Electrode Rolling



#### Model: MR-JS300

#### **Applications:**

MR-JS300 Hot roller press machine is a compact hot rolling press machine mainly serves for pressing samples in the lab or other applications in the material research especially for increasing active material density of the electrode in Li-Ion batteries research after coating.

The hot roller press machine has 300mm width steel rollers. Such a roller can be heated up to 130°C.

#### **Main features**

- \* Heating and rolling, the temperature control of the thermostat is adjustable, and it is displayed by numbers.
- \* Optional heating or no heating to work.
- \*The roll has high hardness and hard chromium plating on the surface. The hardness can reach HRC62 and rust prevention. \*Adopt the inclined block to adjust the gap of the tablet, which has good self-triviality and high adjustment precision.
- \*High precision of rolling, the cylindricity of the roller is  $\leq \pm 2$ um.
- \*Vertical design, convenient for feeding and rolling of sheet material.
- \* Use gear meshing rotation to achieve roll pressing.
- \*The thickness and speed of the tablet can be adjusted, and the appearance is exquisite and beautiful.
- \* Electric rolling, forming automation, can be forward & reverse operation.
- \* Small size, easy to operate, flexible and fast to use.

#### **Specifications:**

Model	Electric Lab Calender Hot Press Making Machine MR-JS300				
Rolling Size	96mm(Dia.) x 300mm(W)				
Rolling Speed	5-40mm/s or 0.3 - 2.4 Meter/ Minute adjustable				
Roller Gap	0-2mm adjustable Gap width gauge accuracy: ±10micron (0.01mm)				
Minimum Thickness	Depending on the electrode's material and thickness, typically: A 0.16mm thick electrode coated on copper can be pressed into a minimum thickness of 0.1 mm A 0.06mm thick electrode coated on copper can be pressed into a minimum thickness of 0.04 mm A 0.33mm thick silver/gold can be pressed into a minimum thickness of 0.03 mm				
Heating Temperature	130°C maximum Temperature Control: Precision temperature controller with +/-1°C Accuracy				
Rate Voltage	AC 110 - 240V Single phase, 50/60Hz				
Power Consumption	1400W				

Surface Hardness of Rollers	HRC60-62 Never roll materials with h not suitable for calenderin		RC (bench top	rolling press is
Shipping Weight	120kg			
Amplication	Important announcement The MR-JS300 roller is sp advantages as affordable, instructions to operate Must use alcohol to clean Never rolling material with If the machine will be idle lubricant on the rollers The minimum thickness o property of the material. H	ecially designed compact and p rollers' surface hardness > 501 for a long period f the rolled shee	d for battery Ra recise. Please after each use HRC d of time, pleas t should depen esults from our	&D in terms of its strictly follow the se apply anti-rust nd on the physica test:
Application Notes	Electrode	Size	Original thickness	Finished thickness
	LiFePO4 double sides	50mmW*260 mL		0.09mm
	LiMn2O4 double sides	50mmW*260 mL		0.09mm
	Copper foil + graphite (single side)	75mmW*240 mL		0.04mm
	This rolling press can be t nanosheets by a repeated metal sheets	l process of fold	ling and calend	) metal daring stacked
Warranty	One year limited warranty Rusting and damage due are not covered by warrar	to improper stor		or maintenance
Warnings	Do not touch the surface of rollers are heated up or ru Due to the influence of wo roller surface may be diffe Never roll materials with h Multi-step thickness calen sheet, make each calender sheet original thickness. Never calendering decrem thickness each calenderin In order to prolong the life recommended. Clean roller surface for ea lubricate when not in use This rolling machine can to It is not allowed to use an especially prohibit from us & vapor)	nning. prking environme rent from the dis- lardness > 50HF dering needed: ering decrement nent over 0.02m g. span of the rolle ch rolling and U to avoid corrosic be used under A y MRBEST proc	ents, the tempo splay on the co RC While calende of 0.02mm co mcomparing w er bearings, reg se alcohol to co on r gas luct in any haz	erature on the ontroller. ring the sample mparing with vith original sheet gular lubrication is clean and ardous location,
Standard Package	one set of hex wrenches,	2 pieces of dial	gauge, 1 feele	r gauge

#### **Our Advantages**

1. Steady and high quality !-cause we are a manufacturer of Lithium Battery Equipment, and we only focus on one thing that is make professional Lithium ion Battery Equipment for customer around the world.

Friendly use! all MRBEST Battery Equipment with teach manual and support live teaching via media.

Reliable factory! My factory located in Shenzhen city of China, support factory visit and video factory visit .

4. 1 year warranty plus lifetime technical support.

5.All the parts use on machine, in stock forever.

6. Powerful technical support, NOT TRADE COMPANY! We are professional on Lithium Battery Equipment, the chief engineer team have

more than 20 years experience on lithium battery area, so we can easy do diagnose on machine if customer have question. 7. 100% PATIENCE to all customers! Our patience not only before consult order, also after-sale service, one by one .

Shenzhen Meirui Zhida Technology Co., Ltd.				
C	+86 19866156608	tina@szmrbest.co	om 🕑 lithiumbatterymachine.com	
104 Building 6	, Second Industrial Zo	ne, Shanmen Community	r, Yanluo Street, Baoan District, Shenzhen Chin	